

SPA-QUIP

Classic Heater

The SPA-QUIP Classic Heater is an inexpensive yet powerful spa heater. The Classic Heater has been designed to be used mainly for in-ground spa installations but if the spa pool is a large above ground spa then the Classic Heater can also be used. The Classic Heater has a temperature selection dial and mains output socket for powering an air switch control box. The Classic Heater is available in 2.3Kw, 4.5Kw and 6Kw element sizes.

Specifications

Dimensions



Inlet & outlet diameter	40mm
Heater pressure, max (head of water)	300kPa (31m)
Pressure switch On pressure	5 psi (34 kPa)
Pressure switch OFF pressure	2 psi (13 kPa)
Temp - max controlled	45°C
Temp - thermal cut out	55°C
Temp - max ambient	50°C

Supply Requirements (Max total loading)

2.3kW Model	220 - 240V, AC, 50-60Hz, 19.5 Amps
4.5kW Model	220 - 240V, AC, 50-60Hz, 28.8 Amps
6.0kW Model	220 - 240V, AC, 50-60Hz, 32 Amps

Heater Element Wattages

2.3kW @ 240V a.c.	220 - 240V, AC, 50-60Hz, 9.5A @ 240V a.c.
4.5kW @ 240V a.c.	220 - 240V, AC, 50-60Hz, 18.8A @ 240V a.c.
6.0kW @ 240V a.c.	220 - 240V, AC, 50-60Hz, 25A @ 240V a.c.

Socket Outlet Loading (Max total loading)


2.3kW Model	220 - 240V, AC, 50-60Hz, 10A
4.5kW Model	220 - 240V, AC, 50-60Hz, 10A
6.0kW Model	220 - 240V, AC, 50-60Hz, 7A (7A to keep within 32 amps max total load)

Ordering Information

Q54553P	2.3kW Classic Plus Heater (supplied with 2 x barrel unions, O rings and lock rings)
Q54554P	4.5kW Classic Plus Heater (supplied with 2 x barrel unions, O rings and lock rings)
Q54555P	6.0kW Classic Plus Heater (supplied with 2 x barrel unions, O rings and lock rings)

2 Rothwell Avenue, North Harbour Industrial Park, Auckland, NZ

www.spa-quip.co.nz



SPA-POWER

SPA EQUIPMENT



N376

